

IN THE CLAIMS

Please amend the claims as follows:

1. (original) A method for stabilizing video data, said method comprising the steps of :

- subdividing said video into a plurality of successive frames ;
- dividing each of said successive frames into a plurality of blocks ;

- determining for each block of each frame a motion vector representing the direction and magnitude of the motion in said block, said vector GMV at an instant t being called global motion vector GMV(t) and representing said motion at the instant t with respect to the previous frame ;

- defining a modified vector, called integrated motion vector IMV(t) at the instant t and designating the final motion vector correction to be applied to the current frame in view of its motion correction, said integrated motion vector being given by the expression :

$$IMV(t) = GMV(t) + a(E) \cdot IMV(t - 1)$$

where GMV(t) is the global motion vector of the current frame at the instant t, a(E) is a variable adaptive factor depending on an expression E and IMV(t - 1) is the integrated motion vector corresponding to the previous current frame ; and

- modifying the video data according to the modified integrated motion vectors defined for each successive current frame.

2. (original) A stabilizing method according to claim 1, in which said variable adaptive factor depends on the sum of the two last global motion vectors.

3. (original) A stabilizing method according to claim 2, in which the variable damping factor $a(E)$ is determined independently for the horizontal and vertical coordinates of the vectors.

4. (currently amended) A stabilizing method according to ~~any one of claims 1 to 3~~ claim 1, comprising an additional correction step, provided for checking if the correction of motion vector is not above a given threshold and, if yes, modifying said correction so that it stays within a predetermined allowed range.

5. (original) A system for stabilizing video data, said system comprising :

- a frame storage for storing a plurality of successive frames of video data of the video recording ;
- a processor coupled to said frame storage for dividing each frame into a plurality of blocks, determining for each block of each

frame a motion vector which represents the direction and magnitude of the motion in said block, said vector at an instant t being called global motion vector $GMV(t)$ and representing said motion at the instant t with respect to the previous frame, defining a motion vector, called integrated motion vector $IMV(t)$ at the instant t and designating the final motion vector correction to be applied to the current frame in view of its motion correction, said integrated motion vector being given by the expression :

$$IMV(t) = GMV(t) + a(E) \cdot IMV(t - 1)$$

where $GMV(t)$ is the global motion vector of the current frame at the instant t , $a(E)$ is a variable adaptive factor depending on an expression E and $IMV(t - 1)$ is the integrated motion vector corresponding to the previous current frame, and modifying the video data according to the modified integrated motion vectors defined for each successive current frame.